

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/658,348	09/08/2003	Stephen D. Pacetti	50623.332	4082
Daul I Mayor	7590 06/13/2007		EXAM	INER
Paul J. Meyer, Jr. Squire, Sanders & Dempsey L.L.P.			CAMERON, ERMA C	
Suite 300 One Maritime	Plaza		ART UNIT	PAPER NUMBER
San Francisco, CA 94111			1762	
				
			MAIL DATE	DELIVERY MODE
			06/13/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)				
Office Action Summary		10/658,348	PACETTI ET AL.				
		Examiner	Art Unit				
		/Erma Cameron/	1762				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHO WHIC - Exter after: - If NO - Failur Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DAISIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATED ATE OF THIS COMMUNICATED ATE OF THIS COMMUNICATED ATE OF THE	TION. be timely filed from the mailing date of this communication. DONED (35 U.S.C. § 133).				
Status							
2a) [Responsive to communication(s) filed on <u>15 Mar</u> This action is FINAL . 2b)⊠ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters	•				
Disposition of Claims							
 4) Claim(s) 35-40,43-54 and 59-62 is/are pending in the application. 4a) Of the above claim(s) 38-40 and 48-54 is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 35-37, 43-47, 59-62 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 							
Application Papers							
10) 🔲	The specification is objected to by the Examine The drawing(s) filed on is/are: a) access applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Example 2.	epted or b) objected to by drawing(s) be held in abeyance. ion is required if the drawing(s)	. See 37 CFR 1.85(a). is objected to. See 37 CFR 1.121(d).				
Priority u	inder 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
2) Notic 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	Paper No(s)/M	mary (PTO-413) fail Date mal Patent Application				

Application/Control Number: 10/658,348

Art Unit: 1762

DETAILED ACTION

Election/Restrictions

1. Claims 38-40 and 48-54 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected species, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on March 15, 2007.

Specification

2. The use of the trademarks has been noted in this application. They should be capitalized wherever they appear and be accompanied by the generic terminology.

Although the use of trademarks is permissible in patent applications, the proprietary nature of the marks should be respected and every effort made to prevent their use in any manner which might adversely affect their validity as trademarks.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. Claims 35-37, 43-47 and 59-62 rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Of the 28 examples in the specification, only Examples 21-25 have particles in a diffusion layer, and none of these have a first region and a second region, with the particle volume fraction greater in the first region.

5. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

- 6. Claims 36 rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- a) Claim 36: it is not clear what is meant by "main group oxides".

Page 4

Application/Control Number: 10/658,348

Art Unit: 1762

Claim Rejections - 35 USC § 103

- 7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. Claims 35-37, 43-45, 47, 59-62 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wu et al (6805898).

'898 teaches a stent with more than one drug/polymer coating, some of which may be clustered into depots 130, or may be in coatings in designated portions of the stent (3:5-20; 5:22-54). The drugs may include those that treat restenosis (15:20-16:3). Over the drug-containing areas is a layer of asperities, not necessarily uniformly disposed over the surface (10:4-14). The asperities may be formed by adding gold particles to the surface (11:55-12:11). These particles would inherently be not uniformly distributed and would inherently affect the rate of drug elution from the stent.

'898 does not teach the particle volume fraction of <0.74 as in claim 60 or particle size as in claim 47, but it would be obvious to optimize these parameters thru no more than routine experimentation.

9. Claim 46 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wu et al (6805898) taken in view of Pacetti et al (6355058).

'898 is applied here for the reasons given above.

Application/Control Number: 10/658,348

Art Unit: 1762

'898 fails to teach a primer layer.

'058 teaches a primer layer on a stent before a drug/binder/gold particle layer is applied, for enhanced adhesion of the upper layer (5:30-6:21; 7:10-33).

It would have been obvious to one of ordinary skill in the art to have added the primer of '058 to the '898 process because of the teaching by '058 that a primer enhances adhesion of the other layers to a stent.

Conclusion

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to /Erma Cameron/ whose telephone number is 571-272-1416. The examiner can normally be reached on 8:30-6:00, alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Meeks can be reached on 571-272-1423. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1762

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Erma Cameron/ Primary Examiner Art Unit 1762

June 11, 2007